



## MONTHLY REPORT SUMMARY

Stoney Trail #1

BLV Group

Name/Location

Company

December 2015

Monitoring Period

Continuous Ambient Monitoring				
Parameter	% Time Operational	Average	Maximum	Number of Hours above Industrial Standards
Sound dB A	100%	45	63	0
PM2.5 $\mu\text{g}/\text{m}^3$	100%	5.9	11.4	0
TSP $\mu\text{g}/\text{m}^3$	100%	28.6	82.4	0
Wind Speed km/h	100%	10	26	-
Precipitation mm	100%	-	0.8	-
Trailer Temperature	100%	-4	9	-

Sound level is analyzed only for wind speed less than 11 km/h and precipitation less than 3 mm/hour

### COMMENTS:


The regulation for industrial areas is 85 dB A any time.

The PM2.5 Standard is 30  $\mu\text{g}/\text{m}^3$  for the day.

The TSP Objective is 100  $\mu\text{g}/\text{m}^3$  for the day.

One 24 hour sample of PM2.5 and TSP is taken every 6<sup>th</sup> day following the federal NAPS schedule.


# Sound Level by Hour of the Day




Stoney Trail #1

December 2015

PM2.5 at BLV Group Stoney Trail #1 December 2015




TSP at BLV Group Stoney Trail #1 December 2015



Wind rose for DEC 2015

Stoney Trail 1

Bar length is proportional to frequency of winds from its direction



SOUND LEVEL [dBA] Leq 1 hour  
Lafarge Canada Inc.  
Stoney Trail 1  
STATION 620  
DEC 2015

Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Avg
1	38																								
2	38	37				40															46	45		40	43
3	37	37	36	35		44		59								60	48	50	43						49
4	42	40	43	41	40	40	41	55					49	51	48		61	63	57					44	54
5					36	36									55	47	44	44	43	42	41	41	40	42	45
6	41	39	40	39	36	36	39	42	40	43	43	43	41	42	44		44	44	43	43	40	43	42	43	45
7	38	40	38	41	42	45	54	59								55	52	53	46	44	46	45	42	40	41
8	39				38	44	54	60	60				60												48
9				36			50	56				52	49	51	47	45	47								55
10	34	39			37	39	44	54	54	54	57	56	56	57	C	47	45	47		42	42	42	42	42	47
11	39	37	39	38	36	37	38	52	49	50	49	48	49	48	46	44	48	48	43	40	43	43	40	41	53
12	38	35	35	35	37	40	41	56	56	56	53	51	50	50	51	47	46	45	46	41	41	43	44	45	47
13	44	42	42	42	40	39	41	42	43	45	46	46	47	47	47	44	44			39					43
14	36	36	37		37	37	47	47	43	45	47	44	48	47	47	47	47	49	45	43	45	47	44	42	45
15	41	38	37	38	37											48									42
16	35	35							47	47	47	48	46	48	48	45	48	46	44	45	45	45	45	43	45
17	38	35			36	37	42	49	51	46	48	49	48	48	50	54	57	54	53	54	53	55	53	41	50
18	40	40	40	40			43												45	42	41	42			42
19								41	43	41	46	46	46	45	45	45	41	47	41	43	41	43	42	41	44
20			39													40	46	42	43	42	40	42	42		42
21							39	45	45	43	45	45	45	45	45	43	41	41	40	41	40	41	40	41	43
22	35	35		34			40	44	45	45	46	46	45	46	46	41	44	42	42	40	41	43	43	39	43
23	35	34	34	34	36	38	40	45	43	45	46	45	43	44	43		44	43	45	42	42	44	43	43	42
24	38	36	36	36	37	35	38	42	43	38	43	41	41	42	43	43	47	40	41	41	40				41
25	39	38	35	35	35	36	36	37	40	39	43	45				46	43	39	40	40					40
26	38	37	39	36	37	38	39	41						45	43	40	41	40							40
27																	43	41							42
28	39	35	35	34	34	35	36				44	45	40	43	44	41	43	43	37	43	44	41	43	41	
29	39	39	36	37	38	39	46	42	45	45	47	49	46	47	47	46	42	44	42	43					41
30			35	34											46	46	43								43
31																									M
AVG	39	38	38	37	37	39	44	51	49	47	48	48	49	48	47	48	48	49	46	43	45	45	44	42	
MAX	44	42	43	42	42	45	54	60	60	56	57	56	60	57	55	60	61	63	57	54	58	55	54	45	
MIN	34	34	34	34	34	35	36	37	40	38	43	41	41	40	40	40	41	39	40	37	40	40	39	37	

\*\*\* SOUND DATA REPORTED ONLY FOR WIND SPEED < 11.5 KM/H \*\*\*

Percent of time operational: 100 M - missing data C - Calibration  
 Monthly Average: 45 Monthly Maximum: 63 Monthly Minimum: 34  
 Averages are computed only when time operational > 75%  
 Median: 42.7  
 \*\*\* No Exceedances of Guideline \*\*\*

SOUND METER CALIBRATIONS

DATE	TIME	STANDARD	RESPONSE	ERROR
DEC 10, 2015	14	94.0	93.6	-.4

ABSTRACT OF THE WIND  
Lafarge Canada Inc.  
Stoney Trail 1  
STATION 620  
DEC 2015

HOUR DAY	ALL TIMES ARE L.S.T.						SPEED [km/h]						ANEMOMETER HEIGHT 10 m						MEAN SPD	MAX VEL	PREV DIR	MISS OBS						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					19	20	21	22	23	24
1	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	16	23	WSW	0
2	SW	SW	SSW	SW	SW	SW	W	SW	SSW	SW	SSW	SSW	SW	WSW	WSW	WSW	WSW	S	SSW	SW	WSW	SW	WSW	13	19	SW	0	
3	SW	SW	SSW	SW	SW	SSW	SSW	SSW	SSW	S	SSE	SSE	SSE	SE	SE	SSE	SE	SE	SSE	SE	ESE	SE	SE	11	15	SSE	0	
4	SSE	S	SE	SSE	S	S	S	SSW	SW	WSW	WSW	WSW	WSW	NW	WSW	SW	SW	S	SSW	SSW	SSW	SSW	SSW	10	17	SW	0	
5	WSW	WSW	SSW	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SE	SSE	SSW	SSW	SSW	SSW	S	S	S	S	12	25	SSW	0	
6	S	S	S	WNW	WSW	W	WSW	SSE	WSW	SW	WSW	WSW	W	WNW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	9	17	SSW	0	
7	S	S	S	S	SE	S	SE	SSW	SSW	SSW	SSW	SSW	SSW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	11	22	SW	0	
8	SW	WSW	WSW	WSW	SW	SW	S	SSE	SSE	SSE	SSE	SE	SE	SE	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	14	22	SSW	0	
9	SW	WSW	WNW	NW	NNW	NNW	N	ENE	ENE	ENE	ENE	NNW	NNW	NNW	NNW	NNW	N	N	NNE	NNE	N	N	NNE	10	18	NNW	0	
10	SSW	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	ESE	ESE	ESE	ESE	ESE	SE	SE	ESE	SE	SE	9	13	SE	0	
11	ESE	E	ESE	SE	SSE	SSE	S	ENE	NE	E	NE	E	SSW	NE	NNE	NNE	ENE	ENE	E	SSE	S	S	S	4	7	SSW	0	
12	SSW	S	SSW	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	S	S	SSE	SSE	S	S	ESE	SE	SSE	SSE	SE	7	10	SSW	0	
13	SSE	SE	SE	SSE	SSE	SSW	SW	SW	SW	WSW	WSW	NNW	N	N	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	9	13	NNW	0	
14	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	S	SW	WSW	SW	WSW	S	S	SSW	SSW	SSW	SSW	6	12	SSW	0	
15	SSW	SSW	SSW	SW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	NNW	NNW	NNW	NNW	N	N	NNW	SSW	SSW	N	WSW	11	18	WSW	0
16	W	NNW	NNW	NNW	NW	NNW	W	W	NNW	NNW	NNW	NNW	W	W	NNW	NNW	NNW	N	N	NNW	SSW	SSW	SSW	9	15	WSW	0	
17	SW	WSW	W	W	W	W	W	W	NNW	NNW	NNW	NNW	N	NNE	NNE	CLM	CLM	ESE	SE	SSE	SSE	SSW	SSW	7	13	W	0	
18	SE	ESE	ESE	ESE	SE	SE	ESE	ESE	ESE	ESE	SE	SE	SE	SE	SSE	SSE	S	SSW	SW	SW	SW	WSW	WSW	12	21	ESE	0	
19	WSW	SW	SW	SW	SSW	SSW	W	NNE	SW	ESE	SSE	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	9	18	SSW	0	
20	S	S	S	SW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	14	24	SSW	0	
21	SW	SSW	SW	W	WNW	WNW	W	SSW	S	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	S	S	SSW	SSW	SSW	SSW	8	16	SSW	0	
22	WNW	NW	NW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	WNW	W	W	SE	CLM	S	S	S	SSW	SSW	SSW	SSW	8	12	SSW	0	
23	W	W	W	W	WNW	WNW	NW	NW	NW	W	WNW	NW	N	N	CLM	SE	SE	E	CLM	CLM	CLM	CLM	CLM	5	10	W	0	
24	NNE	NE	NNE	N	NNW	NNW	N	NNW	NNW	NNW	NNW	NNW	N	N	N	NNW	CLM	CLM	CLM	CLM	CLM	CLM	CLM	4	10	NNW	0	
25	CLM	E	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSE	SSW	NW	NNW	NNW	9	16	SSE	0	
26	NNW	NNW	SE	SSE	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	S	S	S	S	S	S	SW	SW	SW	WSW	WSW	11	16	S	0	
27	SW	SW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	15	22	WSW	0	
28	W	NNW	WSW	NNW	NW	NNW	NNW	NNW	NNW	NNW	NNW	NNW	N	N	NNW	NNW	NNW	NNE	N	NNW	W	WSW	WSW	8	16	NNW	0	
29	SW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	SSW	S	S	SSE	S	SSW	SSW	SSW	SSW	SSW	SSW	SSW	8	12	SSW	0	
30	WSW	WSW	WSW	W	W	W	W	W	NNW	W	WSW	W	W	W	W	W	W	W	NNW	NNW	NNW	NNW	W	13	19	W	0	
31	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	WSW	17	26	WSW	0	

MEAN  
SPEED: 9 9 10 10 11 11 11 11 12 11 12 11 11 11 9 9 9 10 9 9 9 8 9 9 10 26 WSW 0  
NOTE: Missing data represented by M; no clear prevailing direction represented by SVL; calm winds represented by CALM WS UPTIME 100 % WD UPTIME 100 %  
Date of Last Calibration 060221 Make and Model of Instrument: RM Young5103

FREQUENCY DISTRIBUTION OF WIND SPEED AND DIRECTION  
Lafarge Canada Inc.  
Stoney Trail 1  
STATION 620  
DEC 2015

SPEED [km/h]	WIND DIRECTION																TOTAL	PCT
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
< .5																	13	2
1- 5	9	9	3	3	5	5	9	14	12	7	5	8	4	2	3	11	109	15
6- 11	12	3	2	3	1	10	23	31	47	60	53	37	30	16	15	38	381	51
12- 19	1	0	0	2	0	2	10	13	4	24	39	76	14	10	8	12	215	29
20- 28	0	0	0	0	0	0	0	0	1	9	6	10	0	0	0	0	26	3
TOTAL	22	12	5	8	6	17	42	58	64	100	103	131	48	28	26	61	744	100
PERCENT	3	2	1	1	1	2	6	8	9	13	14	18	6	4	3	8		
AVERAGE	7	4	4	9	3	7	9	9	8	11	12	14	10	11	10	9	10	

TRAILER TEMPERATURE  
Lafarge Canada Inc.  
Stoney Trail 1  
STATION 620  
DEC 2015

Day	Hour																								Avg
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
1	-3	-3	-3	-2	-1	0	1	1	1	2	4	6	7	8	9	8	7	4	3	2	2	2	2	2	2
2	-1	-1	-1	0	1	1	2	3	3	4	4	5	5	6	8	7	7	5	3	2	2	2	2	2	1
3	1	0	-1	-2	-1	-1	-1	-1	-1	0	1	4	7	7	8	9	8	6	5	4	4	3	2	3	3
4	2	2	1	1	1	1	1	1	1	3	4	5	5	5	5	6	6	4	1	-1	-2	-2	-2	-2	
5	-1	-1	0	-1	-1	-2	-2	-2	-2	0	1	2	3	3	3	5	4	3	1	0	-1	-1	-2	-3	
6	-3	-3	-2	-2	-2	-2	-2	-2	-2	-1	0	1	3	5	7	8	9	8	6	5	4	3	2	2	
7	1	1	0	0	-1	-1	-1	-1	-1	1	4	7	9	9	8	7	5	4	3	3	4	4	4	4	
8	3	3	2	2	1	1	0	1	1	2	2	4	4	5	6	6	6	5	5	5	5	5	5	3	
9	5	5	6	5	4	3	3	2	2	2	2	2	3	2	2	2	2	1	1	1	1	0	0	2	
10	0	-2	-2	-2	-3	-3	-3	-3	-3	-3	-2	-1	-1	-1	-1	-1	-1	-2	-1	-1	-1	-1	-1	-2	
11	-1	-1	-1	-2	-2	-2	-2	-2	-2	-2	-2	-1	1	1	1	0	0	-1	-1	-2	-2	-2	-2	-1	
12	-2	-2	-3	-3	-4	-5	-6	-7	-7	-7	-4	-2	0	1	1	1	-1	-4	-6	-7	-7	-6	-7	-4	
13	-5	-5	-5	-5	-5	-5	-5	-5	-5	-4	-2	-1	1	1	-1	-3	-4	-5	-6	-6	-4	-4	-4	-4	
14	-5	-5	-5	-5	-6	-6	-6	-6	-6	-6	-5	-5	-4	-4	-4	-4	-5	-6	-7	-7	-7	-8	-9	-6	
15	-9	-9	-8	-8	-8	-7	-6	-6	-5	-5	-3	0	1	2	2	1	-1	-3	-4	-4	-4	-4	-4	-4	
16	-4	-4	-4	-5	-5	-6	-7	-7	-8	-7	-6	-6	-5	-4	-3	-4	-5	-6	-8	-9	-9	-10	-10	-6	
17	-11	-12	-11	-11	-11	-11	-12	-13	-13	-12	-9	-5	-3	-2	-2	-4	-7	-9	-11	-12	-13	-13	-13	-10	
18	-12	-12	-12	-12	-11	-11	-11	-11	-12	-12	-12	-11	-10	-10	-9	-10	-10	-11	-11	-10	-8	-7	-7	-10	
19	-5	-5	-5	-5	-5	-5	-5	-5	-6	-7	-4	-1	1	2	3	2	0	-2	-4	-5	-5	-6	-7	-3	
20	-8	-8	-8	-6	-4	-4	-3	-3	-2	-2	-2	-1	-1	0	0	1	1	0	-1	-2	-3	-4	-5	-3	
21	-5	-5	-5	-5	-5	-5	-5	-6	-7	-7	-4	-2	1	1	2	1	-1	-4	-6	-7	-7	-8	-8	-4	
22	-8	-8	-7	-7	-7	-8	-8	-8	-9	-10	-7	-4	-2	-1	0	-1	-4	-6	-8	-8	-9	-9	-9	-6	
23	-9	-10	-11	-11	-11	-11	-11	-11	-11	-11	-9	-6	-4	-3	-3	-4	-6	-9	-10	-11	-10	-10	-10	-9	
24	-10	-10	-10	-10	-11	-11	-11	-12	-12	-12	-11	-11	-10	-10	-9	-10	-11	-12	-12	-12	-12	-13	-13	-11	
25	-14	-14	-15	-16	-17	-17	-17	-18	-18	-17	-15	-12	-10	-9	-8	-8	-10	-13	-15	-16	-14	-14	-13	-14	
26	-15	-16	-17	-18	-18	-17	-17	-17	-16	-15	-12	-10	-7	-5	-4	-5	-6	-6	-6	-5	-5	-5	-4	-11	
27	-4	-3	-3	-3	-3	-3	-3	-3	-3	-3	-2	-1	0	1	1	0	-2	-3	-3	-4	-4	-5	-3		
28	-5	-4	-4	-4	-5	-5	-5	-5	-5	-5	-4	-4	-4	-4	-4	-4	-5	-6	-7	-7	-8	-8	-5		
29	-9	-9	-9	-10	-10	-11	-11	-12	-12	-11	-8	-5	-3	-2	-1	-1	-4	-7	-9	-10	-10	-10	-10	-8	
30	-10	-10	-11	-11	-11	-11	-11	-11	-11	-10	-9	-6	-4	-3	-2	-1	-3	-5	-6	-7	-7	-8	-8	-8	
31	-9	-9	-9	-8	-8	-8	-8	-7	-7	-6	-4	-1	1	2	3	4	3	1	0	-1	1	1	0	-3	
AVG	-5	-5	-5	-5	-5	-6	-6	-6	-6	-5	-4	-2	-1	0	1	0	-1	-3	-4	-4	-4	-4	-5	-5	
MAX	5	5	6	5	4	3	3	3	3	4	4	7	9	9	9	9	8	6	5	5	5	5	5	5	
MIN	-15	-16	-17	-18	-18	-17	-17	-18	-18	-17	-15	-12	-10	-10	-9	-10	-11	-13	-15	-16	-14	-14	-13	-14	

Percent of time operational: 100  
Monthly Average: -4 Monthly Maximum: 9 M - missing data  
Monthly Minimum: -18



PRECIPITATION [mm]  
 Lafarge Canada Inc.  
 Stoney Trail 1  
 STATION 620  
 DEC 2015

Day	Hour																								Tot		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTL	0	0	0	0	0	0	0	0	0	0	0	.5	1.0	1.0	.5	.2	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	.5	.6	.8	.4	0	0	0	0	0	0	0	0	0	0	0	0

Percent of time operational: 100                      M - missing data  
 Monthly Total: 3                      Maximum in an hour: .8  
 Year to Date: 314